

* NEED ① PRINTED

Rush FEB 23

Work Order ID 141896-1

Thursday, February 18, 2016 4:18:21 PM

split 2/2

141896

Page 1

Item ID: D3847-11

Accept

N9000040100

Setup Start *NS1*

Revision ID:

Stop *NS2*

Item Name: Wearpad

Start Date: 2/18/2016 Start Qty: 20.00

20

19

Cust Item ID:

Required Date: 2/22/2016 Req'd Qty: 20.00

20

Customer:

Reference:

Approvals:

Process Plan:

Date: 16-2-18

Tooling:

Date:

Run Start *NR1*

QC:

Date:

SPC (Y/N):

Date:

Stop *NR2*

Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Tool ID

Tool #

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

Draw Nbr

Revision Nbr

D3847

C

100

0.00

100

Waterjet

FLOW CNC Waterjet

Memo

1-Cut as per Dwg D3847

Dwg Rev: C

Prog Rev: C

2-Deburr if necessary

0.02

(2C)

16/02/22

110

QC2- Inspect parts off machine FAI/FAIB

0.00

110

QC

Quality Control

Memo

0.00

(2C)

16/02/22

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐	OTHER : _____			

Work Order ID 141896

Thursday, February 18, 2016 4:18:21 PM

141896

Page 2

Item ID: D3847-11 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Wearpad
 Start Date: 2/18/2016 Start Qty: 20.00 ***20*** Cust Item ID:
 Required Date: 2/22/2016 Req'd Qty: 20.00 ***20*** Customer:
 Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
120 *120* QC Quality Control	QC8- Inspect parts - second check Memo	0.00 0.01				<u>20</u>			DAS 38 9-89 FEB 22 2016
130 *130* Brake NC Brake NC	Memo Form as per dwg	0.00 0.01			DAS 30 9-89	<u>28</u>			FEB 22 2016
140 *140* QC Quality Control	QC5- Inspect part completeness to step on W/O Memo	0.00 0.01				<u>20</u>			DAS 38 9-89 FEB 22 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date : _____		Step #: _____		QTY Effective : _____			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐		OTHER : _____					

Work Order ID 141896

141896

Page 3

Thursday, February 18, 2016 4:18:21 PM

Item ID: D3847-11 Accept *N900040100* Setup Start *NS1*
 Revision ID: Stop *NS2*
 Item Name: Wearpad
 Start Date: 2/18/2016 Start Qty: 20.00 *20* Cust Item ID:
 Required Date: 2/22/2016 Req'd Qty: 20.00 *20* Customer:
 Reference:

Approvals: Process Plan: Date: Tooling: Date: Run Start *NR1*
 QC: Date: SPC (Y/N): Date: Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
150 *150* Large Fab Large Fab	Memo Weld hardcoat as per dwg A/R 2059B Batch: 130145	0.00 0.10				19		16-02-25	JOL
160 *160* QC Quality Control	QC5- Inspect part completeness to step on W/O Memo	0.00 0.01				19	16-02-25		DAS 9 9-89
170 *170* QC Quality Control	QC10- Inspect visual per QSI004- ground welds Memo	0.00 0.00				19	16-02-25		DAS 9 9-89

DQA: _____ Date: _____

**WORK ORDER NON-CONFORMANCE / UPDATE**

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐								
Misidentified ☐	Past Due ☐	OTHER : ☐							

Work Order ID 141896

141896

Page 4

Thursday, February 18, 2016 4:18:21 PM

Item ID: D3847-11 Accept *N900040100* Setup Start *NS1*
Revision ID: Stop *NS2*
Item Name: Wearpad
Start Date: 2/18/2016 Start Qty: 20.00 *20* Cust Item ID:
Required Date: 2/22/2016 Req'd Qty: 20.00 *20* Customer:
Reference:

Approvals: Process Plan: Date: Tooling: Date: Run Start *NR1*
QC: Date: SPC (Y/N): Date: Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
180 *180* Powdercoat Powder Coating	Grey Sandtex(Ref:4.3.5.6) per QSI005 4.3 Memo START TIME: _____ OVEN TEMPERATURE: _____ FINISH TIME: _____	0.00 0.02	* NEED ① PAINTED. 16-2-18						
190 *190* QC Quality Control	QC3- Inspect Part Finish Memo	0.00 0.00	N/A DAS 9 9-89 160225						
193 *193* HandFinish Hand Finishing	Hand Finishing APPLY TEXTURE COATING ON TOP CONCAVE SURFACE AS PER DWG TEXTURE COATING BATCH: 134278	0.00 0.00				19			DAS 41 9-89 16-2-25

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Description Work Order Deviation				Disposition					
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐							
		OTHER :							

Thursday, February 18, 2016 4:18:22 PM

141896

Page 5

Accept

N900040100

Setup Start *NS1*

Stop *NS2*

Item Name: Wearpad

20

Cust Item ID:

20

Customer:

Reference:

Run Start *NR1*

Approvals: _____ Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Stop *NR2*

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Sequence ID/
Work Center ID

Operation Description

Set Up/ Run Hours

Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
---------	--------	-----------	------------	------------	---------------	-------------

196

QC3- Inspect Part Finish

0.00

196

OC

Memo

0.00

Quality Control

FEB 26 2016

200

Identify as per dwg & Stock Location:

0,00

200

Packaging

~~Memo~~

0.00

Packaging

LOCATION : FP001

210

QC21- Final Inspection - Work Order Release

0.00

210

QC

Memo

0.03

Quality Control

MC FEB 26 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :				MRB (QSI042) Approval	
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐							
		OTHER : ☐							

Picklist Print

Thursday, February 18, 2016 4:18:25 PM

Page 1
1

Work Order ID: 141896

141896

Parent Item: D3847-11

D3847-11

Parent Item Name: Wearpad

Start Date: 2/18/2016

Required Date: 2/22/2016

Start Qty: 20.00

Required Qty: 20.00

Comments: IPP RevA: New issue DD verified by:EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
M304S16GA		Purchased	No				sf	143.8500		3.564211			

M304S16GA

**

02/16/02/22

304/316 Sheet .063

Location

Loc Qty

Loc Code

MAT019

143.85

m134067

47.85

m134158

96

3.2



DQA: _____ Date: _____

**WORK ORDER NON-CONFORMANCE / UPDATE**

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date : _____		Step #: _____		QTY Effective : _____			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Set-up ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____							
Misidentified ☐	Past Due ☐								



ITEM	QTY -043	QTY -045	QTY -047	QTY -049	P/N	DESCRIPTION
1	X				D3847-043	FWD WEARPLATE ASSY, STD/FLOAT GEAR
2		X			D3847-045	CENTER WEARPLATE ASSY, STD/FLOAT GEAR
3			X		D3847-047	AFT WEARPLATE ASSY, STD GEAR
4				X	D3847-049	AFT WEARPLATE ASSY, FLOAT GEAR
11	1				D3847-3	PLATE
12		1			D3847-5	PLATE
13			1		D3847-7	PLATE
14				1	D3847-9	PLATE
31	A/R	A/R	A/R	A/R	TEXTURED COATING	SEALANT

NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: NONE
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3847-XXX" USING YELLOW PAINT MARKER AT INSIDE SURFACE
- 7) WEIGHT: D3847-043 = 1.48 lbs
D3847-045 = 1.29 lbs
D3847-047 = 1.70 lbs
D3847-049 = 4.88 lbs
- 8) COAT ENTIRE TOP (CONCAVE) SURFACE WITH TEXTURED COATING, 0.020-0.040 THICK, PER DART QSI 005 4.9




RELEASED

2014 NOV 24
ECN 14-628


C	REMOVED D3846-3/-5/-7/-9 GASKETS. ZN D2-1. ADDED TEXTURED COATING, ZN B3-1. UPDATED WEIGHTS, ZN C3-1/A8-2	AK	14.08.06
B	CORRECT TYPO D3847-047 WAS D3847-045. ZN B5-1, 5.82 WAS 6.25 (ZN A4-2); 45.28 WAS 45.71 (ZN B4-5)	RF	09.06.30
A	NEW ISSUE	RF	09.03.30
REV.	DESCRIPTION	BY	DATE
DESIGN	RF	DART AEROSPACE USA, INC. KENT, WA	
DRAWN	AK		
CHECKED	VS	DRAWING NO.	REV. C
MFG. APPR.	JLM	D3847	SHEET 1 OF 7
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	WEARPLATE ASSY	NTS
DATE	14.08.06	COPYRIGHT © 2009 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRELIMINARY AND CONCEPTUAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	

APPROVED


16-2-18
141896




D3847-1 WEARPAD
MADE FROM D3847-1F FLAT PATTERN




D3847-1F FLAT PATTERN




SECTION A-A
D7-2
B7-2



D3847-11 WEARPAD
MADE FROM D3847-11F FLAT PATTERN



D3847-11F FLAT PATTERN



DETAIL B
C5-2
B5-2
TYP, SCALE 2X

NOTES:

- 1) MATERIAL: AISI 304/316 STAINLESS STEEL PER AMS 5513 OR AMS 5524, 18 GAUGE (0.063 THICK), (REF. DART SPEC. M304S16GA)
- 2) FINISH: POWDER COAT "GREY SANDTEX" (4.3.5.6) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3847-X" USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT:
D3847-1 = 0.32 lbs
D3847-11 = 0.47 lbs
- 8) WELD PER QSI 004
- 9) APPLY 2 LAYERS OF 2059B HARDCOAT WELDS TO WITHIN 0.25 OF WEARPAD ENDS 0.19 TO 0.25 THICK UNLESS OTHERWISE INDICATED


RELEASED

2014 NOV 24

APPROVED

DESIGN	RF	DART AEROSPACE USA, INC.	
DRAWN	AK	KENT, WA	
CHECKED	VS	DRAWING NO.	REV. C
MFG. APPR.	JLM	D3847	SHEET 2 OF 7
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	WEARPLATE ASSY	NTS
DATE	14.08.06	COPYRIGHT © 2009 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS UNCLASSIFIED AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR PURPOSES OR COMMUNICATED TO ANY OTHER PERSON OR PERSONS WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	

D3847-3 PLATE
MADE FROM D3847-3F FLAT PATTERN



D3847-3F FLAT PATTERN

RELEASED


2014 NOV 24 *CP*


NOTES:

- 1) MATERIAL: AISI 304/316 STAINLESS STEEL PER AMS 5513 OR AMS 5524, 18 GAUGE (0.050 THICK), (REF: DART SPEC. M304S18GA)
- 2) FINISH: POWDER COAT "GREY SANDTEX" (4.3.5.6) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: 1.48 lbs


DESIGN	RF	DART AEROSPACE USA, INC.	
DRAWN	AK	KENT, WA	
CHECKED	VS	DRAWING NO.	REV. C
MFG. APPR.	JLM	D3847	SHEET 3 OF 7
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	WEARPLATE ASSY	NTS
DATE	14.08.06	COPYRIGHT © 2009 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	

APPROVED





D3847-5 PLATE
MADE FROM D3847-5F FLAT PATTERN



D3847-5F FLAT PATTERN

RELEASED
2014 NOV 24 47


NOTES:

- 1) MATERIAL: AISI 304/316 STAINLESS STEEL PER AMS 5513 OR AMS 5524, 18 GAUGE (0.050 THICK), (REF. DART SPEC. M304S18GA)
- 2) FINISH: POWDER COAT "GREY SANDEX" (4.3.5.6) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: 1.29 lbs

APPROVED

DESIGN	RF	DART AEROSPACE USA, INC.	
DRAWN	AK	KENT, WA	
CHECKED	VS	DRAWING NO.	REV. C
MFG. APPR.	JLM	D3847	SHEET 4 OF 7
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	WEARPLATE ASSY	NTS
DATE	14.08.06	COPYRIGHT © 2005 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	

D3847-7 PLATE
MADE FROM D3847-7F FLAT PATTERN



D3847-7F FLAT PATTERN

RELEASED


2014 NOV 24

NOTES:


- 1) MATERIAL: AISI 304/316 STAINLESS STEEL PER AMS 5513 OR AMS 5524, 18 GAUGE (0.050 THICK), (REF. DART SPEC. M304S18GA)
- 2) FINISH: POWDER COAT "GREY SANDEXT" (4.3.5.6) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: NONE
- 7) WEIGHT: 1.70 lbs

APPROVED

DESIGN	RF	DART AEROSPACE USA, INC. KENT, WA	
DRAWN	AK		
CHECKED	VS	DRAWING NO.	REV. C
MFG. APPR.	JLM	D3847	SHEET 5 OF 7
APPROVED	HS	TITLE	SCALE
DE APPR.	DS	WEARPLATE ASSY	NTS
DATE	14.08.06	COPYRIGHT © 2009 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS UNCLASSIFIED AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIES OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	



SECTION C-C
SCALE 4X
D4-3
D4-4
D3-5
D3-6



DETAIL D
TYP, SCALE 4X
B5-3
B6-4
B3-5
B5-6

RELEASED

2014 NOV 24 *q*

APPROVED	DESIGN	RF	DART AEROSPACE USA, INC. KENT, WA	
	DRAWN	AK		
	CHECKED	VS	DRAWING NO.	REV. C
	MFG. APPR.	JLM	D3847	SHEET 7 OF 7
	APPROVED	HS	TITLE	SCALE
	DE APPR.	DS-#	WEARPLATE ASSY	NTS
DATE		14.08.06	COPYRIGHT © 2008 BY DART AEROSPACE USA, INC. THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.	